

# Atlantis





# Atlantis

Atlantis Nero 60x60cm (24"x24")

# Avorio



## FORMATI E FINITURE SIZES AND FINISHES FORMATI NOMINALI NOMINAL SIZES



60x120cm (24"x48")  
rett/lapp



60x60cm (24"x24")  
rett/lapp



30x60cm (12"x24")  
rett/lapp



15x60cm (6"x24")  
rett/lapp



7,5x30cm (3"x12")  
rett/lapp



Hexagon  
36,9x39,5cm  
(14<sup>1</sup>/<sub>2</sub>"x15<sup>1</sup>/<sub>2</sub>" )



Herringbone mix light  
grigio-beige-avorio  
29,5x35cm  
(11<sup>5</sup>/<sub>8</sub>"x13<sup>3</sup>/<sub>4</sub>" )



Mosaico  
5x5cm (2"x2")  
30x30cm (12"x12")




Battiscopa  
7x60cm (2<sup>3</sup>/<sub>4</sub>"x24") rett/lapp  
7x90cm (2<sup>3</sup>/<sub>4</sub>"x36") rett/lapp  
7x120cm (2<sup>3</sup>/<sub>4</sub>"x48") rett/lapp


Atlantis Avorio 30x60cm (12"x24") Lappato

Beige

**FORMATI E FINITURE** SIZES AND FINISHES  
**FORMATI NOMINALI** NOMINAL SIZES




60x120cm (24"x48")  
rett/lapp



60x60cm (24"x24")  
rett/lapp



30x60cm (12"x24")  
rett/lapp



15x60cm (6"x24")  
rett/lapp



7,5x30cm (3"x12")  
rett/lapp



Hexagon  
36,9x39,5cm  
(14<sup>1</sup>/<sub>2</sub>"x15<sup>1</sup>/<sub>2</sub>"



Herringbone mix light  
grigio-beige-avorio  
29,5x35cm  
(11<sup>5</sup>/<sub>8</sub>"x13<sup>3</sup>/<sub>4</sub>"




Mosaico  
5x5cm (2"x2")  
30x30cm (12"x12")




Battiscopa  
7x60cm (2<sup>3</sup>/<sub>4</sub>"x24") rett/lapp  
7x90cm (2<sup>3</sup>/<sub>4</sub>"x36") rett/lapp  
7x120cm (2<sup>3</sup>/<sub>4</sub>"x48") rett/lapp

Atlantis Beige 60x120cm (24"x48")

## FORMATI E FINITURE SIZES AND FINISHES FORMATI NOMINALI NOMINAL SIZES



60x120cm (24"x48")  
rett/lapp



60x60cm (24"x24")  
rett/lapp



30x60cm (12"x24")  
rett/lapp



15x60cm (6"x24")  
rett/lapp



7,5x30cm (3"x12")  
rett/lapp



Hexagon  
36,9x39,5cm  
(14<sup>1</sup>/<sub>2</sub>"x15<sup>1</sup>/<sub>2</sub>" )



Herringbone mix light  
grigio-beige-avorio  
29,5x35cm  
(11<sup>5</sup>/<sub>8</sub>"x13<sup>3</sup>/<sub>4</sub>" )



Mosaico  
5x5cm (2"x2")  
30x30cm (12"x12")




Battiscopa  
7x60cm (2<sup>3</sup>/<sub>4</sub>"x24") rett/lapp  
7x90cm (2<sup>3</sup>/<sub>4</sub>"x36") rett/lapp  
7x120cm (2<sup>3</sup>/<sub>4</sub>"x48") rett/lapp

Atlantis Grigio 30x60cm (12"x24")  
Herringbone mix light 29,5x35cm (11<sup>5</sup>/<sub>8</sub>"x13<sup>3</sup>/<sub>4</sub>" )

# BRONZO



## FORMATI E FINITURE SIZES AND FINISHES FORMATI NOMINALI NOMINAL SIZES



60x60cm (24"x24")  
rett/lapp



30x60cm (12"x24")  
rett/lapp


60x120cm (24"x48")  
rett/lapp



15x60cm (6"x24")  
rett/lapp




7,5x30cm (3"x12")  
rett/lapp



Hexagon  
36,9x39,5cm  
(14<sup>1</sup>/<sub>2</sub>"x15<sup>1</sup>/<sub>2</sub>"")



Herringbone mix dark  
antracite-bronzo-nero  
29,5x35cm  
(11<sup>5</sup>/<sub>8</sub>"x13<sup>3</sup>/<sub>4</sub>"")



Mosaico  
5x5cm (2"x2")  
30x30cm (12"x12")




Battiscopa  
7x60cm (2<sup>3</sup>/<sub>4</sub>"x24") rett/lapp  
7x90cm (2<sup>3</sup>/<sub>4</sub>"x36") rett/lapp  
7x120cm (2<sup>3</sup>/<sub>4</sub>"x48") rett/lapp

Atlantis Bronzo 60x60cm (24"x24")  
15x60cm (6"x24") - 7,5x30cm (3"x12")  
Herringbone mix dark 29,5x35cm (11<sup>5</sup>/<sub>8</sub>"x13<sup>3</sup>/<sub>4</sub>"")

# Antracite



## FORMATI E FINITURE SIZES AND FINISHES FORMATI NOMINALI NOMINAL SIZES



60x60cm (24"x24")  
rett/lapp



30x60cm (12"x24")  
rett/lapp


60x120cm (24"x48")  
rett/lapp



15x60cm (6"x24")  
rett/lapp



7,5x30cm (3"x12")  
rett/lapp



Hexagon  
36,9x39,5cm  
(14<sup>1</sup>/<sub>2</sub>"x15<sup>1</sup>/<sub>2</sub>" )



Herringbone mix dark  
antracite-bronzo-nero  
29,5x35cm  
(11<sup>5</sup>/<sub>8</sub>"x13<sup>3</sup>/<sub>4</sub>" )




Mosaico  
5x5cm (2"x2")  
30x30cm (12"x12")




Battiscopa  
7x60cm (2<sup>3</sup>/<sub>4</sub>"x24") rett/lapp  
7x90cm (2<sup>3</sup>/<sub>4</sub>"x36") rett/lapp  
7x120cm (2<sup>3</sup>/<sub>4</sub>"x48") rett/lapp

Atlantis Antracite 90x90cm (36"x36")  
Hexagon antracite 36,9x39,5cm (14<sup>1</sup>/<sub>2</sub>"x15<sup>1</sup>/<sub>2</sub>" )


## FORMATI E FINITURE SIZES AND FINISHES FORMATI NOMINALI NOMINAL SIZES



60x120cm (24"x48")  
rett/lapp



60x60cm (24"x24")  
rett/lapp



30x60cm (12"x24")  
rett/lapp



15x60cm (6"x24")  
rett/lapp




7,5x30cm (3"x12")  
rett/lapp



Hexagon  
36,9x39,5cm  
(14<sup>1</sup>/<sub>2</sub>"x15<sup>1</sup>/<sub>2</sub>" )



Herringbone mix dark  
antracite-bronzo-nero  
29,5x35cm  
(11<sup>5</sup>/<sub>8</sub>"x13<sup>3</sup>/<sub>4</sub>" )



Mosaico  
5x5cm (2"x2")  
30x30cm (12"x12")



Battiscopa  
7x60cm (2<sup>3</sup>/<sub>4</sub>"x24") rett/lapp  
7x90cm (2<sup>3</sup>/<sub>4</sub>"x36") rett/lapp  
7x120cm (2<sup>3</sup>/<sub>4</sub>"x48") rett/lapp

Atlantis Nero 60x120cm (24"x48") Lappato




# Caratteristiche Tecniche • Technical features • Technische eigenschaften\*

Gres porcellanato impasto colorato - Through body porcelain stoneware - Durchgefärbtes feinsteinzeug - UGL

	NORME TEST N°	DESCRIZIONE DESCRIPTION	VALORE A NORMA REQUIRED STANDARD	VALORE - MATT RESULTS - MATT	VALORE - LAPP RESULTS - LAPP
	ISO 10545/3	ASSORBIMENTO D'ACQUA - WATER ABSORPTION ABSORPTION D'EAU - WASSERAUFNAHME	≤ 0,5%	CONFORME CONFORMS	CONFORME CONFORMS
	ISO 10545/4	RESISTENZA ALLA FLESSIONE - BENDING STRENGTH RESISTANCE A LA FLEXION - BIEGESTÄRKE	R ≥ 35 N/mm <sup>2</sup>	CONFORME CONFORMS	CONFORME CONFORMS
	ISO 10545/8	COEFFICIENTE DI DILATAZIONE TERMICA LINEARE THERMAL EXPANSION COEFF. BETWEEN 20°C - 100°C COEFF. DE DILATION THERMIQUE LINEAIRE ENTRE 20°C ET 100°C WÄRMEAUSSDEHNUNG ZWISCHEN 20°C UND 100°C	≤ 9x10 <sup>-6</sup>	9x10 <sup>-6</sup> °C <sup>-1</sup>	9x10 <sup>-6</sup> °C <sup>-1</sup>
	ISO 10545/9	RESISTENZA AGLI SBALZI TERMICI - RESISTANCE TO THERMAL SHOCK RESISTANCE AUX CHOCs THERMIQUES TEMPERATURWECHSELBESTÄNDIGKEIT		RESISTE - RESISTANT RESISTE - BESTÄNDIG	RESISTE - RESISTANT RESISTE - BESTÄNDIG
	ISO 10545/11	RESISTENZA AL CAVILLO - CRAZING RESISTANCE RESISTANCE AU TRASSAILAGE - HAARRISSEFESTIGKEIT		RESISTE - RESISTANT RESISTE - BESTÄNDIG	RESISTE - RESISTANT RESISTE - BESTÄNDIG
	ISO 10545/14	RESISTENZA ALLE MACCHIE - STAIN RESISTANCE RESISTANCE AUX TACHES - FLECKENFESTIGKEIT	min. Classe 3	CONFORME CONFORMS	CONFORME CONFORMS
	ISO 10545/13	RESISTENZA ALL'ATTACCO CHIMICO - CHEMICAL RESISTANCE RESISTANCE À L'ATTACQUE CHIMIQUE - FÄHIG GEBEN SÄUREN UND LAUGEN	min. B	CONFORME CONFORMS	CONFORME CONFORMS
	ISO 10545/2	LUNGHEZZA E LARGHEZZA - LENGTH AND WIDTH LONGUEUR ET LARGEUR - LÄNGE UND BREITE	± 0,5%	CONFORME CONFORMS	CONFORME CONFORMS
	ISO 10545/2	SPESSORE - THICKNESS ÉPAISSEUR - STÄRKE	± 5%	CONFORME CONFORMS	CONFORME CONFORMS
	ISO 10545/2	ORTOGONALITÀ - WEDGING ORTHOGONALITÉ - RECHTWINKLICHKEIT	± 0,6%	CONFORME CONFORMS	CONFORME CONFORMS
	ISO 10545/2	PLANARITÀ - WARPAGE PLANÉITÉ - EBENFLÄCHIGKEIT	± 0,5%	CONFORME CONFORMS	CONFORME CONFORMS
	ISO 10545/12	RESISTENZA AL GELO - FROST RESISTANCE RESISTANCE AU GEL - FROSTBESTÄNDIGKEIT		RESISTE - RESISTANT RESISTE - BESTÄNDIG	RESISTE - RESISTANT RESISTE - BESTÄNDIG
	ISO 10545/6	RESISTENZA ALL'ABRAZIONE PROFONDA DEEP ABRASION RESISTANCE RESISTANCE À LABRASION PROFONDE TIEFENVERSCHLEISSBESTÄNDIGKEIT	< 175 mm <sup>3</sup>	CONFORME CONFORMS	CONFORME CONFORMS
	BOT 3000 WET DCOF	RESISTENZA ALLO SCIVOLAMENTO SLIP RESISTANCE - RESISTANCE AU GLISSEMENT BESTIMMUNG DER RUTSCHEMME EIGENSCHAFT	≥ 0,42	Tile 1: 0,54 Tile 2: 0,55 Tile 3: 0,54	
	DIN 51130 R	water, oil, grease, etc. create slippery conditions. floor applications with exposure to these conditions require extra caution in product selection.		R10	

\* These values may vary from lot to lot



SOLUZIONI DI POSA  
cm 60x120 - 24"x48"  
cm 30x60 - 12"x24"  
Per una corretta realizzazione si consiglia di posare i formati lunghezza 120 cm e 60 cm, sfalsati a correre al massimo 20 cm o posa pari.

INSTALLATION INFORMATION  
cm 60x120 - 24"x48"  
cm 30x60 - 12"x24"  
For 120 cm (48") and 60 cm (24") long files, staggering should not exceed 20 cm (8").

VERLEGEBEISPIELE  
cm 60x120 - 24"x48"  
cm 30x60 - 12"x24"  
Für einen korrekten und einwandfreien Belag, die Formaten mit 120 cm und 60 cm länge sollten bei der Verlegung maximal 20 cm versetzt sein.

## SHADE VARIATION



Noi consigliamo fortemente l'uso di un sistema di posa con distanziatori autolivellanti.

We strongly recommend using a tile edge leveling system during installation.

Wir empfehlen dringend die Verwendung von einem Befestigungssystem mit leveling system.

Il est vivement recommandé l'utilisation d'un système de pose avec des croisillons autonivelant.

## IMBALLI PACKAGING

### UNITÀ DI MISURA UNIT OF MEASURES



Model	Size	Unit	Pieces	KG	m <sup>2</sup>	Pieces	KG	m <sup>2</sup>
Atlantis Rett/Lapp	60x120 (24"x48")	M <sup>2</sup>	2	35,90	1,44	22	31,68	789,80
Atlantis Rett/Lapp	60x60 (24"x24")	M <sup>2</sup>	3	25,50	1,08	40	43,20	1020,00
Atlantis Rett/Lapp	30x60 (12"x24")	M <sup>2</sup>	6	25,50	1,08	40	43,20	1020,00
Atlantis Rett/Lapp	7,5x30 (3"x12")	M <sup>2</sup>	17	9,03	0,38	84	31,92	758,52
Atlantis Rett/Lapp	15x60 (6"x24")	M <sup>2</sup>	10	21,25	0,90	40	36,00	850,00
Atlantis Mosaico 5x5 (2"x2")	30x30 (12"x12")	FOGLIO/SHEET	8	14,50	0,72	42	30,24	609,00
Atlantis Hexagon	36,9x39,5 (14 1/2"x15 1/2")	FOGLIO/SHEET	8	14,50	0,92	42	38,64	609,00
Atlantis Herringbone	29,5x35 (11 5/8"x13 3/4")	FOGLIO/SHEET	8	14,50	0,76	42	32,29	609,00
Atlantis Battiscopa Rett/Lapp	7x60 (2 3/4"x24")	PZ	15	14,00	-	40	-	560,00
Atlantis Battiscopa Rett/Lapp	7x90 (2 3/4"x36")	PZ	6	10,25	-	40	-	410,00
Atlantis Battiscopa Rett/Lapp	7x120 (2 3/4"x48")	PZ	6	13,00	-	40	-	520,00



100%  
MADE IN ITALY

Ceramics of Italy

Verde 1999 srl - Via Ghiarola Nuova, 158 - 41042 Fiorano Modenese, MO Italy  
tel +39 0536 832393 - fax +39 0536 913591 - www.verde1999.com - info@verde1999.com

