

STONE INSTINCT



Verde
1999[®]
AN ITALIAN STORY



Limestone forever.

STONE INSTINCT

Colors and inspirations narrated by

Verde
1999[®]

AN ITALIAN STORY



Those who are able to perceive
the true essence of things
by observing simple details
and subtleties can fully
enjoy their beauty.





GRIGIO 60x120 . 24"x48" rett
GRIGIO MULTISIZE R11
20x20 . 8"x8" - 20x40 . 8"x16" - 40x40 . 16"x16" - 40x60,8 . 16"x24"



GRIGIO MOSAICO
30x30 . 12"x12"

STONE INSTINCT



GRIGIO MULTISIZE R11
20x20 . 8"x8" - 20x40 . 8"x16" - 40x40 . 16"x16" - 40x60,8 . 16"x24"



Mixing multiple sizes
creates intriguing contrasts for
a striking floor both
in and outdoors.

BRONZO MULTISIZE R11
20x20 . 8"x8" - 20x40 . 8"x16" - 40x40 . 16"x16" - 40x60,8 . 16"x24"



BRONZO 60x60 . 24"x24" rett
BRONZO 7.5x30 . 3"x12" rett



BRONZO
7.5x30 . 3"x12" rett





STONE INSTINCT

Stone Instinct, the emotion of stone combined with the stylistic needs of today's lifestyle are in perfect harmony with nature and design. Astute craftsmanship, fine raw materials, and cutting edge technology create a product with perfect chemistry.

BRONZO 60x120 . 24"x48" rett
BRONZO 30x60 . 12"x24" rett



Combining different sizes
in a pattern is a decorative
eye-catcher highlighted by
the light color of the tile.

BIANCO MULTISIZE R11
20x20 . 8"x8" - 20x40 . 8"x16" - 40x40 . 16"x16" - 40x60,8 . 16"x24"



STONE INSTINCT



BIANCO 120x120 . 48"x48" rett



BIANCO
120x120 . 48"x48" rett



BIANCO 60x120 . 24"x48" rett



The stone-like surface structure blends artfully with the fine texture of the graphic print, lending a touch of novel innovation to this timeless product.

BEIGE 60x120 . 24"x48" rett





BEIGE MULTISIZE
20x20 . 8"x8"
20x40 . 8"x16"
40x40 . 16"x16"
40x60,8 . 16"x24"



STONE INSTINCT

BEIGE 100x100 . 40"x40" rett
BEIGE 100x100 . 40"x40" rett R11 2 cm
PEZZI SPECIALI BEIGE R11



BEIGE 100x100 . 40"x40" R11 2 cm
PEZZI SPECIALI BEIGE R11

STONE INSTINCT



BEIGE
7.5x30 . 3"x12" rett
100x100 . 40"x40" rett

STONE INSTINCT



BIANCO



BEIGE


























BRONZO



GRIGIO

sizes

 	 			
<p>120x120 . 48"x48" rett BIANCO BEIGE BRONZO GRIGIO</p>	<p>40x60,8 . 16"x24" BIANCO BEIGE BRONZO GRIGIO</p> <p>40x60,8 . 16"x24" R11 BIANCO BEIGE BRONZO GRIGIO</p>	<p>40x40 . 16"x16" BIANCO BEIGE BRONZO GRIGIO</p>	<p>20x40 . 8"x16" BIANCO BEIGE BRONZO GRIGIO</p> <p>20x40 . 8"x16" R11 BIANCO BEIGE BRONZO GRIGIO</p>	<p>20x20 . 8"x8" BIANCO BEIGE BRONZO GRIGIO</p> <p>20x20 . 8"x8" R11 BIANCO BEIGE BRONZO GRIGIO</p>
 				
<p>100x100 . 40"x40" rett BIANCO BEIGE BRONZO GRIGIO</p> <p>100x100 . 40"x40" R11 BIANCO BEIGE BRONZO GRIGIO</p>	<p>60x120 . 24"x48" rett BIANCO BEIGE BRONZO GRIGIO</p>	<p>60x60 . 24"x24" rett BIANCO BEIGE BRONZO GRIGIO</p>	<p>30x60 . 12"x24" rett BIANCO BEIGE BRONZO GRIGIO</p>	<p>7,5x30 . 3"x12" rett BIANCO BEIGE BRONZO GRIGIO</p>
 	 	 	 	 
<p>100x100 . 40"x40" rett R11 BIANCO BEIGE BRONZO GRIGIO</p>	<p>Battiscopa 7x60,8 . 2 3/4"x24" BIANCO BEIGE BRONZO GRIGIO</p>	<p>Battiscopa 7x60 . 2 3/4"x24" rett BIANCO BEIGE BRONZO GRIGIO</p>	<p>Gradone 30x100 . 12"x40" rett BIANCO BEIGE BRONZO GRIGIO</p>	<p>Gradone 30x120 . 12"x48" rett BIANCO BEIGE BRONZO GRIGIO</p>
		<p>Battiscopa 7x100 . 2 3/4"x40" rett BIANCO BEIGE BRONZO GRIGIO</p>		

STONE INSTINCT

MOSAICO 30x30 . 12"x12"



BIANCO



BEIGE



BRONZO



GRIGIO



Mosaico
30x30 . 12"x12"
5x5 . 2"x2"
BIANCO
BEIGE
BRONZO
GRIGIO



multisize | multisize R11


One box contents . Contenuto di una scatola . Contenu d'une boîte . Inhalt einer Schachtel

- 20x40 - 8"x16" : 1 pc
 - 40x40 - 16"x16" : 2 pc
 - 20x20 - 8"x8" : 2 pc
 - 40x60,8 - 16"x24" : 1 pc
- 0,723 mq**




We recommend modular laying with a 4/5 mm ³/₁₆" joint.
 La posa modulare è consigliata con una fuga di 4/5 mm.
 La pose modulaire est conseillée avec un joint de 4/5 mm.
 Die modulverlegung wird mit einer mindestfuge von 4/5 mm empfohlen.

MODULARE A SOLUTION 1



MODULARE A SOLUTION 2




- 1 - 20x20 = 11,10%
- 2 - 20x40 = 11,10%
- 3 - 40x40 = 44,40%
- 4 - 40x60,8 = 33,40%

Laying sketch . Schemi di posa . Schémas de pose . Modulverlegungsbeispiele .


MODULARE B

- 1 - 20x20 = 14,30%
- 2 - 20x40 = 28,60%
- 3 - 40x40 = 57,10%




MODULARE C

- 1 - 20x20 = 25%
- 2 - 20x40 = 25%
- 3 - 40x40 = 50%




MODULARE D

- 1 - 20x20 = 11,10%
- 2 - 20x40 = 44,45%
- 3 - 40x40 = 44,45%




MODULARE E

- 1 - 20x40 = 50%
- 2 - 40x40 = 50%




MODULARE F

- 1 - 20x20 = 20%
- 2 - 40x40 = 80%




MODULARE G

- 1 - 20x20 = 20%
- 2 - 20x40 = 80%



STONE INSTINCT



Packing

	Σ	pezzi pieces	m ²	kg	kg	m ²	box
120x120 . 48"x48" rett	9	1	1,44	29,00	1276,00	63,36	44
100x100 . 40"x40" rett	8,5	2	2,00	38,00	912,00	48,00	24
100x100 . 40"x40" R11	8,5	2	2,00	38,00	912,00	48,00	24
100x100 . 40"x40" rett R11 2 cm	20	1	1,00	42,47	891,87	21,00	21
60x120 . 24"x48" rett	8,5	2	1,44	27,50	1072,50	56,16	39
60x60 . 24"x24" rett	8,5	3	1,08	20,50	984,00	51,84	48
30x60 . 12"x24" rett	8,5	7	1,26	23,80	952,00	50,40	40
7,5x30 . 3"x12" rett	8,5	17	0,38	8,85	743,40	31,92	84
40x60,8 . 16"x24"	10	4	0,97	21,50	1290,00	58,20	60
40x60,8 . 16"x24" R11	10	4	0,97	21,50	1290,00	58,20	60
40x40 . 16"x16"	10	8	1,28	26,50	1272,00	61,44	48
40x40 . 16"x16" R11	10	8	1,28	26,50	1272,00	61,44	48
20x40 . 8"x16"	10	13	1,04	20,80	1123,20	56,16	54
20x40 . 8"x16" R11	10	13	1,04	20,80	1123,20	56,16	54
20x20 . 8"x8"	10	26	1,04	20,30	1096,20	56,16	54
20x20 . 8"x8" R11	10	26	1,04	20,30	1096,20	56,16	54
Multisize	10	6	0,72	16,00	640,00	28,92	40
Multisize R11	10	6	0,72	16,00	640,00	28,92	40
30x30 . 12"x12" Mosaico	8,5	8	0,72	15,68	-	-	-
7x100 . 2¾"x40" rett Battiscopa	8,5	6	-	8,35	350,70	-	42
7x60 . 2¾"x24" rett Battiscopa	8,5	15	-	13,91	556,40	-	40
7x60,8 . 2¾"x24" Battiscopa	10	15	-	14,00	560,00	-	40

GLAZED PORCELAIN STONEWARE WITH COLOURED BODY - ISO 13006 BIA GL
 Gres porcellanato smaltato colorato in massa . Grès cérame émaillé coloré dans la masse
 Glasiertes feinsteinzeug in der masse gefärbt



Via Ghiarola Nuova, 158
 41042 Fiorano Modenese,
 Modena - Italy
 tel +39 0536 832393
 fax +39 0536 913591
verde999.com
 info@verde999.com



















is a brand of
 Gruppo Romani S.p.A. Industrie Ceramiche

TECHNICAL FEATURES*

Caratteristiche tecniche
Caractéristiques techniques
Technische eigenschaften

GLAZED PORCELAIN STONEWARE WITH COLOURED BODY - ISO 13006 BIA GL

Gres porcellanato smaltato colorato in massa . Grès cérame émaillé coloré dans la masse. Glasiertes feinsteinzeug in der masse gefärbt

NORME TEST N°	DESCRIZIONE DESCRIPTION	VALORE A NORMA REQUIRED STANDARD	VALORE RESULTS	
	ISO 10545/2 Lunghezza e larghezza Length and width Longueur et largeur Länge und breite	± 0,5%	Conforme Conforms	
	ISO 10545/2 SPESSORE THICKNESS EPAISSEUR STÄRKE	± 5%	Conforme Conforms	
	ISO 10545/2 Ortogonalità Wedging Orthogonalité Rechtwinklichkeit	± 0,5%	Conforme Conforms	
	ISO 10545/2 Planarità Warpage Planéité Ebenflächigkeit	± 0,5%	Conforme Conforms	
	Variazioni di tono Shade variations Variations de nuance Tonvariationen		 V2 LIEVE VARIAZIONE SLIGHT VARIATION LEGERE VARIATION GERINGE ABWEICHUNG  V3 MODERATA VARIAZIONE MODERATE VARIATION VARIATION MODERÉE MÄSSIGE ABWEICHUNG	
	ISO 10545/3 Assorbimento d'acqua Water absorption Absorption d'eau Wasseraufnahme	≤ 0,5%	Conforme Conforms	
	ISO 10545/4 Resistenza alla flessione Bending strength Resistance a la flexion Biegefestigkeit	R > 35 N/mm ²	Conforme Conforms	
	ISO 10545/11 Resistenza al cavillo Crazing resistance Resistance au trassilage Haarrissfestigkeit		Resiste Resistant Résiste Beständig	
	ISO 10545/13 Resistenza all'attacco chimico Chemical resistance Resistance à l'attaque chimique Fähig gegen säuren und laugen	min. gb	Classe A-LA-HA Class A-LA-HA Classe A-LA-HA Gruppe A-LA-HA	
	ISO 10545/14 Resistenza alle macchie Stain resistance Resistance aux taches Fleckenfestigkeit	min 3	Classe 5 Class 5 Classe 5 Gruppe 5	
	ISO 10545/12 Resistenza al gelo Frost resistance Resistance au gel Frostbeständigkeit		Resiste Resistant Résiste Beständig	
	ISO 10545/7 Resistenza alla abrasione della superficie di piastrelle smaltate Resistance to surface abrasion of glazed tiles Résistance à l'abrasion de la surfacedes carreaux émaillés Widerstand gegen Abrieb der Oberfläche der glasierten Fliesen		Classe 3-4 Class 3-4 Classe 3-4 Gruppe 3-4	
	B.C.R.A. REP. CEC.6/81 DIN 51130 DIN 51097 BOT 3000 DCOF	Resistenza alla scivolosità. Coefficiente di attrito medio Skid resistance. Average coefficient of friction Résistance au glissement. Coefficient de frottement moyen Rutschfestigkeit. Mittlerer Reibungswert	B.C.R.A. REP. CEC. 6/81 DIN 51130 DIN 51097 DCOF	$\mu \geq 0,40$ R10 R11 Classe B Class B Classe B Gruppe B $\mu \geq 0,42$ Classe C Class C Classe C Gruppe C
	Resistenza della superficie (scala MOHS) Scratch hardness (MOHS scale) Dureté de la surface (échelle MOHS) Oberflächenhärte (MOHS skala)	EN 101	≥ 6	

* THESE VALUES MAY VARY FROM LOT TO LOT.

Verde
1999[®]
AN ITALIAN STORY